

**ILS Laboratories**

8222 Vickers St, Suite 106, San Diego, CA 92111  
(619) 329-3999 | ils-lab.com

## Retatrutide - 60mg

Tested for: Elevated Compound



<https://elevatedcompound.com/>

COA #: **COA-2026-LZKQ01**  
Lot Number: **EC-3R60-2605A**  
Accession #: **ACC-2026-3889**  
Labeled Content: **60mg**

Method: **Full QC Panel**  
Analysis Date: **06/07/2026**  
Appearance: **Good**  
Sample Matrix: **Lyophilized**  
Date Received: **06/03/2026**

**PASS**



Scan to verify authenticity at ils-lab.com  
Access Code: YFU977J6

Identity	Peptide Purity	Fentanyl Free
<b>Retatrutide</b>	<b>99.93%</b>	



Retatrutide 60mg - EC-3R60-2605A


### Purity & Quant (HPLC)

Analyte	Specification	Result	Unit	Status
Peptide Purity (HPLC)	>= 95.0%	99.93%	%	PASS
Net Peptide Content	Report Only	62.68	mg	N/A
Identity (HPLC-RTM)	Retatrutide	Confirmed	-	PASS
Fentanyl Screen	Immunoassay, 50 ng/mL cutoff	Not Detected	-	PASS

### Heavy Metals (ICP-MS)

Analyte	Specification	Result	Unit	Status
<b>Heavy Metals</b>				
Arsenic (As)	<= 1.5 ppm	0.0729 ppm	ppm	PASS
Cadmium (Cd)	<= 0.5 ppm	Not Detected	ppm	PASS
Lead (Pb)	<= 1 ppm	0.119 ppm	ppm	PASS
Mercury (Hg)	<= 1.5 ppm	0.124 ppm	ppm	PASS
Chromium (Cr)	<= 10 ppm	0.74 ppm	ppm	PASS

### HPLC Chromatogram



Representative chromatogram, Dedicated V0 (99.93% purity, closest to batch mean of 99.93%)




**Dr. Greg Kalyuzhny**  
Lab Director  
6/7/2026

COA #: **COA-2026-LZKQ01**  
Access Code: **YFU977J6**  
Verify: <portal.ils-lab.com/verify/lllci6d6so2Y2gPq>  
Issued: 6/7/2026

**HPLC Conformity Testing Results (2 samples tested)**

Sample	Purity	NPC	ID	Result
Dedicated V0	99.93%	62.68 mg	Confirmed	PASS
Conformity V1	99.93%	63.89 mg	Confirmed	PASS
Mean	99.93%	63.28 mg	—	—
Std Dev	—	0.6050 mg	—	—

**Sterility Testing (PCR)**

Test	Specification	Result	Status
Sterility (PCR)	No Growth	No Growth	PASS

**Endotoxin Testing (USP <85>)**

Test	Specification	Result	Status
Endotoxin (USP <85>)	Report Result	0.18 EU/mL	Reported

About this result: Endotoxin is reported as a quantitative value. Acceptable limits vary by product type and matrix, so no universal pass/fail threshold applies to RUO products. This result is below commonly referenced endotoxin thresholds.

**Notes & Methodology**

- Date Tested: 06/07/2026. Methods: Purity & Quant (HPLC); Heavy Metals (ICP-MS).
- The sample was confirmed to be Retatrutide by HPLC. Identification by chromatographic retention time comparison with a reference standard.
- Endotoxin tested per USP <85> kinetic turbidimetric method. Acceptance criteria per client specification.
- Peptide purity determined by RP-HPLC area normalization at 214 nm. Value represents the percentage of the target peptide relative to all peptide-related peaks. Non-peptide process-related impurities, if detected, are excluded from the calculation.
- Chromatogram shown is representative: Dedicated V0 (99.93% purity, closest to batch mean of 99.93%).



**Dr. Greg Kalyuzhny**  
Lab Director  
6/7/2026

COA #: **COA-2026-LZKQ01**  
Access Code: **YFU977J6**  
Verify: <portal.ils-lab.com/verify/lllci6d6so2Y2gPq>  
Issued: 6/7/2026